



SAFETY DATA SHEET

THE FABRIC PROTECTOR

Page 1

Issued 09.02.2012

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY

Product name: THE FABRIC PROTECTOR

Product Code: KLEERS0505

Company Name: Kleers Products Ltd
Kleer House
Windsor Ind Estate
Sheerness
Kent
ME12 1NB

Tel: 0044 (0)1795 581366

Fax: 0044 (0)1795 666611

2. HAZARDS IDENTIFICATION

Hazard description: Xn Harmful

R65 : Harmful may cause lung damage if swallowed.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterisation description: Fatty Alcohol Alkoxyate

Ingredient name: Alkanes

Content: 1-5%

Symbol: Xn

Risk: R65

Ingredient name: Distillates (petroleum), Hydrotreated light; Kerosine(unspecified)

CAS Number: 68647-72-3

Content: 60-100%

Symbol: R65

Notes: The full text for all R-phrases are shown in section 15

Risk Phrases in this section apply to the raw materials, and not necessarily to the finished product.

4. FIRST AID MEASURES

General: Immediately remove any clothing soiled by the product.

Skin Contact: Remove affected person from source of contamination.
Remove contaminated clothing. Soak the skin with soap & water.
Get medical attention if symptoms persist.

Eye Contact: Remove victim immediately from source of exposure.
Remove contact lenses before rinsing
Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes and get medical attention.

4. FIRST AID MEASURES Cont.

- Ingestion:** Remove victim immediately from source of exposure.
Rinse out mouth and then drink plenty of water.
Do not induce vomiting. Never give anything by mouth to an unconscious person.
Provide warmth and fresh air, seek medical attention.
- Inhalation:** Move the exposed person to fresh air at once. Get medical attention.
Provide warmth, rest and fresh air.
When breathing is difficult, properly trained personnel may assist affected person by administering 100% oxygen.

5. FIRE FIGHTING MEASURES

- Extinguishing Media:** Use extinguishing media suitable appropriate for surrounding fire.

6. ACCIDENTAL RELEASE MEASURES

- Personal Precaution:** Refer to Section 7 & 8 of SDS for personal protection details.
- Spill Clean up methods:** Absorb in vermiculite, dry sand or earth and place into labelled containers.
Do not contaminate water sources or sewer, advise local authority if large spills can not be contained.

7. HANDLING AND STORAGE

- Usage precautions:** Avoid contact with eyes, skin & clothing.
Ensure good ventilation/exhaustion at workplace, and avoid breathing vapours
Use approved respirator if air contamination is above accepted level.
- Fire explosion protection:** No special measures required
- Storage precautions:** Keep in cool, dry, ventilated storage and tightly closed containers.
Ensure adequate ventilation. Keep in original container.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

- Ingredient comments:** OES + Occupational Exposure Standard
- General protection and hygiene:** Do not smoke in the work area.
Wash at the end of each work shift and before eating, smoking and using the toilet.
Keep away from foodstuffs, beverages and feed.
- Notes:** Avoid contact with eyes & skin, wash all contaminated clothing before re-use.
Wear Chemical resistant (plastic) gloves
Wear approved safety goggles in case of splashing
Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colourless liquid

Flashpoint: 44 degrees C

10. STABILITY AND REACTIVITY

Stability: Normally stable.

Material to avoid: Avoid contact with acids and oxidising substances.

Dangerous reactions: No hazardous reactions when stored and handled according to prescribed instructions.

Decomposition products: Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO) and Carbon dioxide (CO₂).

11. TOXICOLOGICAL INFORMATION

Primary irritant effect:

Inhalation: Prolonged inhalation of high concentrations may damage respiratory system.

Skin contact: Acts as a defatting agent on skin. May cause craking of skin and eczema. Prolonged or repeated exposure may cause irritation.

Eye contact: May cause severe irritation to the eyes

Ingestion: The product causes irritation of mucous membranes and may cause abdominal discomfort if swallowed.

Target organs: Skin, eyes, respiratory system, lungs

12. ECOLOGICAL INFORMATION

No known adverse effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods: Dispose of in accordance with regional or national authority regulations

14. TRANSPORT INFORMATION

Label for conveyance:



Land transport (ADR/RID):

ADR Class No: 3 Flammable liquid, n.o.s.

UN Number: 1268

Packaging group: III

Hazard Label: 3

Description of goods: 1268 Flammable liquid, N.O.S

Shipping Name: Petroleum distillates, liquid, n.o.s Combustible liquid

14. TRANSPORT INFORMATION Cont:**Maritime (IMDG):**

UN Number: 1268
Packaging group: III
Hazard Label: 3
Shipping Name: Petroleum distillates, liquid, n.o.s Combustible liquid

Air transport ICAO-TI & IATA-DGR:

UN Number: 1268
ICAO/IATA Class: 3
Packaging group: III
Hazard Label: 3
Shipping Name: Petroleum distillates, liquid, n.o.s Combustible liquid

15. REGULATORY INFORMATION**LABEL FOR SUPPLY:**

Code letter : Xn Harmful

Risk phrases: R65: Harmful: May cause lung damage if swallowed.

Safety phrases: S23: Do not breathe gas/fumes/vapour/spray.
S51: Use only in well ventilated areas.
S60: This material and its container must be disposed of as hazardous waste.
Refer to special instructions/safety data sheets.
S62: If swallowed, do not induce vomiting. Seek medical advice immediately and show the container or label.

R Phrases used in section 3: R65: Harmful: May cause lung damage if swallowed.

16. OTHER INFORMATION

Legal disclaimer: The information in this SDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.