



## SAFETY DATA SHEET

### THE FINISHING WAX

Page 1  
Issued: 26.03.2010

#### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY

**Product name:** THE FINISHING WAX

**Product Code:** KLEERS0024

**Company Name:** Kleers Products Ltd  
Kleer House  
Sheerness Docks  
Sheerness  
Kent  
ME12 1RS

Tel: 0044 (0)1795 581366

Fax: 0044 (0)1795 666611

#### 2. HAZARDS IDENTIFICATION

**Main Hazards:** Flammable

**In contact with skin:** Irritating to skin - frequent or prolonged contact may cause dermatitis.

**In contact with eyes:** Vapour and liquid irritating to eyes.

**Inhalation:** Irritating to eyes and respiratory tract.  
Anaesthetic in high concentrations and may cause drowsiness, dizziness and effect the central nervous system

**Ingestion:** Small amounts of liquid aspirated into lungs during ingestion or vomiting may cause bronchopneumonia or pulmonary oedema. Minimal toxicity.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

A water in oil emulsion consisting of water, 20-50% by weight aliphatic hydrocarbon solvent (containing 14-18% by volume aromatics), wax emulsifying agents, abrasive powder, silicone fluids, perfume and colour.

#### 4. FIRST AID MEASURES

**Skin Contact:** Remove affected person from source of contamination.  
Remove contaminated clothing. Wash the skin immediately with water.  
Get medical attention promptly if symptoms occur after washing.

**Eye Contact:** Remove victim immediately from source of exposure.  
Make sure to remove any contact lenses from the eyes before rinsing.  
Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 10 minutes and get medical attention.

**Ingestion:** Do not induce vomiting. Never make unconscious person vomit or drink fluids  
Remove victim immediately from source of exposure. Wash mouth out with water.  
If casualty is conscious, give water to drink. Seek medical attention.

**Inhalation:** Move the exposed person to fresh air at once.  
Provide rest, warmth and fresh air.  
In severe cases or if recovery is not rapid or complete, seek medical attention.

## 5. FIRE FIGHTING MEASURES

**Extinguishing Media:** Dry Powder, Foam or Water Fog, CO<sub>2</sub>, BCF - Small fire.  
DO NOT USE WATER EXTINGUISHER

**Fire fighting procedures:** Self-contained breathing apparatus should be worn in closed/confined areas.

**Hazardous combustion products:** Oxides of carbon. With incomplete combustion – Carbon Monoxide

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precaution:** Refer to Section 8 of SDS for personal protection details.

**Spill Clean up methods:** Eliminate sources of ignition.  
Absorb in non combustible absorbant sand or earth.  
Do not contaminate water sources or sewer.

## 7. HANDLING AND STORAGE

**Usage precautions:** PVC Gloves are recommended  
Use in well ventilated area

**Storage precautions:** Keep away from sources of ignition. Keep in original container.

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Ingredient name:** THE FINISHING WAX  
**CAS number:**  
**STD:**  
**LT Exp. 8Hrs:** 575 mg/m<sup>3</sup> 8hr TWA  
**ST Exp. 15 mins:**

**Ingredient comments:** OES + Occupational Exposure Standard

**Protective equipment:** Wear protective rubber gloves & safety goggles

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Viscous Liquid

**Colour:** White

**Odour / taste:** Apple. Slight.

**Solubility description:** Immiscible

**Boiling Point (C, interval):** 150-200

**Density/Specific gravity (g/ml):** 0.96-0.99 @ 20 degrees C

**Flash point (degrees C)** 36-41 (Abel closed cup)

**Volatile by weight (%)** 84-86

pH: N/A

**10. STABILITY AND REACTIVITY****Stability:** On combustion decomposes with evolution of oxides of carbon.**Known reactions:** May react with strong oxidising materials**Materials to avoid:** Oxidising materials.**Haz. Decomp. Products:** Oxides of carbon. With complete combustion – carbon monoxide**11. TOXICOLOGICAL INFORMATION****Skin:** Prolonged or repeated contact may irritate and cause dermatitis.**Ingestion:** May cause nausea and diarrhoea if swallowed in large quantities**12. ECOLOGICAL INFORMATION****Degradability:** Biodegrades slowly**Bioaccumulative potential:** Bioaccumulated in aquatic life with a short retention time of one week or less.**Aquatic toxicity:** Marine Pollutant  
Moderately toxic to living resources – 96hr LC50 = 1-10 mg/l**13. DISPOSAL CONSIDERATIONS****Disposal methods:** Dispose of in accordance with regional or national authority regulations**Container:** As Product above.**14. TRANSPORT INFORMATION**

Label for conveyance:

**ROAD TRANSPORT:****UN No. :** 1993**ADR Class:** Class 3 : Flammable Liquids**H.I No:** 33**Emergency action code :** 3YE**15. REGULATORY INFORMATION**

LABEL FOR SUPPLY:

**Risk phrases:** R-10 Flammable

**Safety phrases:** S-2 Keep out of reach of children  
S24/25 Avoid contact with skin and eyes  
S43 In case of fire use dry powder, foam or water fog. CO2, BCF, not water.

## 16. OTHER INFORMATION

**Legal disclaimer:** The information in this SDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.