



## SAFETY DATA SHEET

### THE PAINT CLEANER

Page 1  
Issued: 26.03.2010

#### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY

**Product name:** THE PAINT CLEANER

**Product Code:** KLEERS0017

**Company Name:** Kleers Products Ltd  
Kleer House  
Sheerness Docks  
Sheerness  
Kent  
ME12 1RS

Tel: 0044 (0)1795 581366

Fax: 0044 (0)1795 666611

#### 2. HAZARDS IDENTIFICATION

**Main Hazards:** Flammable

**In contact with skin:** Frequent or prolonged skin contact may cause irritation

**In contact with eyes:** Eye contact may cause irritation due to abrasive powders present.

**Inhalation:** Prolonged inhalation of fumes may cause headache and drowsiness.

**Ingestion:** Ingestion may cause vomiting with risk of lung damage by aspiration.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Ingredient name:** Petroleum Distillate

**CAS No:** 64742-88-7

**% w/w:** 10-20%

**Risk:** R10, R65

**Total aromatic content:** 3.6% Maximum - all phrases apply to raw materials and not necessarily the finished product

#### 4. FIRST AID MEASURES

**Skin Contact:** Remove affected person from source of contamination.  
Remove contaminated clothing. Wash the skin immediately with water.  
Get medical attention promptly if symptoms occur after washing.

**Eye Contact:** Remove victim immediately from source of exposure.  
Make sure to remove any contact lenses from the eyes before rinsing.  
Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 10 minutes and get medical attention.

**Ingestion:** Do not induce vomiting. Never make unconscious person vomit or drink fluids  
Remove victim immediately from source of exposure. Wash mouth out with water.  
If casualty is conscious, give water to drink. Seek medical attention.

**Inhalation:** Move the exposed person to fresh air at once.  
Provide rest, warmth and fresh air.  
In severe cases or if recovery is not rapid or complete, seek medical attention.

## 5. FIRE FIGHTING MEASURES

**Extinguishing Media:** Dry chemical powder, carbon dioxide, chemical foam or water spray.  
Keep undamaged containers cool with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precaution:** Refer to Section 8 of SDS for personal protection details.

**Spill Clean up methods:** Extinguish all naked flames, eliminate sources of ignition - NO SMOKING  
Absorb in non combustable absorbant sand or earth.  
Do not contaminate water sources or sewer.

## 7. HANDLING AND STORAGE

**Usage precautions:** PVC Gloves are recommended

**Storage precautions:** Keep away from sources of ignition. Keep in original container.  
If repacking, ensure new container is suitable for use with this product.  
Keep out of reach of children. Store well away from foodstuffs.  
Store in a cool, well-ventilated area, well away from sources of ignition.

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Ingredient name:** PETROLEUM DISTILLATE  
**CAS number:** 64742-88-7  
**STD:**  
**LT Exp. 8Hrs:** 550 mg/m<sup>3</sup> 8hR TWA  
**ST Exp. 15 mins:**

**Ingredient comments:** OES + Occupational Exposure Standard

**Protective equipment:** Wear protective rubber gloves & safety goggles

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Creamy Emulsion

**Colour:** White

**Odour / taste:** Apple. Slight.

**Solubility description:** Not miscible

**Boiling Point (C, interval):**

100

**Density/Specific gravity (g/ml):** 0.98 Approx

**Flash point (degrees C)** 36-41 (Abel closed cup)54

**Volatile organic compounds:** 245grams per litre approx

This product contains hydrocarbon solvents, but due to its viscosity it is not classified as HARMFUL

pH: N/A

**10. STABILITY AND REACTIVITY****Stability:** On standing, may separate slightly to give a flammable supernatant.**11. TOXICOLOGICAL INFORMATION****Ingestion:** may cause burning of mouth, throat and alimentary canal.  
May cause vomiting with risk of aspiration.**12. ECOLOGICAL INFORMATION****Aquatic toxicity:** May cause long-term adverse effects in the aquatic environment.  
DO NOT EMPTY INTO DRAINS  
Marine Pollutant**13. DISPOSAL CONSIDERATIONS****Disposal methods:** Dispose of in accordance with regional or national authority regulations  
**Container:** As Product above.**14. TRANSPORT INFORMATION**

Label for conveyance:

**ROAD TRANSPORT:****UN No. :** 1993  
**ADR Class:** Class 3 : Flammable Liquids  
31 degrees C  
**Proper Shipping Name:** FLAMMABLE LIQUID N. O. S. (petroleum Distillate, mixture)**AIR TRANSPORT:****UN No. :** 1993  
**ADR Class:** Class 3 : Flammable Liquids  
Pack Group III - Instr 309  
**Proper Shipping Name:** FLAMMABLE LIQUID N. O. S. (petroleum Distillate, mixture)**SEA TRANSPORT:****UN No. :** 1993  
**ADR Class:** Class 3 : Flammable Liquids  
Pack Group III  
**Proper Shipping Name:** FLAMMABLE LIQUID N. O. S. (petroleum Distillate, mixture)

**15. REGULATORY INFORMATION****LABEL FOR SUPPLY:**

**Risk phrases:** Not required

**Safety phrases:** S-2 Keep out of reach of children  
S26 In case of contact with eyes, rinse immediately with plenty of water and Seek medical advice  
S62 If swallowed do not induce vomiting, seek medical advice & show product safety data sheet.

**16. OTHER INFORMATION**

**Legal disclaimer:** The information in this SDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.